

FRONT SYSTEMS KUBOTA

AIGNER front linkages and PTOs suitable for **KUBOTA** tractors:

SERIES M 7132 - M 7172 & M 6121

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES L 2 / L 2602

Front linkage: lifting force 10 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES STW 34 - 40 / ST 341 - 401

Front linkage: lifting force 8 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 4062 - M 4072

Front linkage: lifting force 24 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 5071N - 5101N

Front linkage: lifting force 18 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 5091 - 5111

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 6060 - 7060

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 8560 - 9960

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 100 GX - M 110 GX

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



M 95 GX III/IV - 135 GX III/IV

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



Series M 95 GX - M 135 GX (S) I - IV

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



Series M 8540 Narrow

Front linkage: lifting force 18 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 6040 - 7040 NARROW

Front linkage: lifting force 18 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES M 6040 - 9540

Front linkage: lifting force 24 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



AIGNER front linkages and PTOs suitable for **MASSEY FERGUSON** tractors:

SERIES 5710-5711 GLOBAL / 6712-6713 GLOBAL

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



Series 4707 - 4709

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



Series 3707 - 3710 - F/S/F/GE/WF

Front linkage: lifting force 18 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 7714 - 7726

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction

Front PTO also fits for original MF-front linkage



SERIES 6712S - 6718S

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5710S - 5713S / 5611 - 5613

Front linkage: lifting force 32 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5608 - 5610

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 7614 – 7624

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction

Front PTO also fits for original MF-front linkage



SERIES 6612 – 6616

Front linkage: lifting force 40 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction

Front PTO also fits for original MF-front linkage



SERIES 1547

Front linkage: lifting force 15 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5410 – 5450

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5425 – 5455 – WITH NEW FREE-VIEW HOOD

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5470 – 5480 & 6460 – 6470 TIER 3

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5425 – 5460 & 6445 – 6455 TIER 3 – WITH STANDARD BONNET

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5425 – 5455 & 6445 – 6455 – WITH STEEP-NOSE BONNET

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 6400 & 7400 - (6 CYLINDER) TIER3

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction

Front PTO also fits for original MF-front linkage



SERIES 3600

Front linkage: lifting force 24 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 3625 – 3655 F / N / S / GE

Front linkage: lifting force 18 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 4400

Front linkage: lifting force 30 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 2430 - 2440

Front linkage: lifting force 24 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 6497 & 6499

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 5470

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 7400 & 6400 (6-CYLINDER)

Front linkage: lifting force 42 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 4300 / 4200 & 6200 (4-CYLINDER)

Front linkage: lifting force 27 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 6200 (6-CYLINDER)

Front linkage: lifting force 40 kN

Front PTO: 1000 r/min. clockwise rotation in driving direction



SERIES 8400

Front linkage: lifting force 42 kN

